

XC 70



WELCOME TO YOUR NEW VOLVO!

This folder contains a selection of the most common functions in your particular car. The owner's manual and other manuals contain important information with all warnings and safety instructions.

The following symbols mean:



Different parts are pointed out in the overview images.

Instructions step-by-step.

It is particularly important to read the owner's manual.



Options are marked with an asterisk *.

In addition, learn more about your particular car at www.volvocars.com.

01 Starting and driving

Remote control key Keyless key system* Starting and switching off the engine Parking brake Wipers

04 Functions in your car

Climate system controls Headlamp control Combined instrument panel Infotainment system Phone* External audio device Buttons in the centre console Settings in the menu system

02 Driver support in your car

BLIS* Start/Stop function* Pedestrian protection*

05 Tips

Refuelling Car care Opening all windows Storage spaces AUX/USB* and 12 V sockets

03 Your driving environment

Adjusting the seat Adjusting the steering wheel Sunroof* Power operated tailgate*




The remote control key can store settings including door mirrors and power driver's seat* – see the owner's manual.



- Green constant light: The car is locked.
- 2 Yellow constant light: The car is unlocked.
- 3 Red constant light: The alarm has been triggered.
- 4 Red light flashing alternately in both indicator lamps: The alarm was triggered less than 5 minutes ago.





How does the Keyless key system* work? 01

The key can remain in your pocket for example the whole time.

Lock and arm the alarm

 Depress the black button on the rear section of the handle.

Unlock and disarm the alarm

 Grip a door handle and open the door in the usual way or press lightly on the tailgate's rubberised pressure plate.



 \square



How do I start the engine?

- 1 Press the remote control key into the ignition switch.
- 2 Depress the clutch or brake pedal.
- 3 Briefly press the **START/STOP ENGINE**-button and release the engine starts.





How do I switch off the engine?

01

 Briefly press the START/STOP ENGINE-button – the engine stops.

2 Take the remote control key out from the ignition switch.



How do I use the parking brake?

01

To apply

- 1 Depress the foot brake pedal.
- 2 Press the control **PUSH LOCK/PULL RELEASE**
 - the combined instrument panel's warning symbol starts to flash. Once there is a constant glow the parking brake is applied.
- 3 Release the foot brake pedal.

To disengage

- 1 Depress the foot brake pedal.
- 2 Pull the control PUSH LOCK/PULL RELEASE.



How do I start the windscreen wipers and rain sensor*? 01

Move the lever downward to start the windscreen wipers and upward for a single sweep.




1 Rain sensor On/Off.

2 Regulates the sensor sensitivity or the intermittent delay.

3 Wiper, rear window - intermittent/normal.

What does BLIS do*?

02



 BLIS is activated when the engine is started and can be deactivated/reactivated by pressing the button.



How do I use the Start/Stop function*?

02

∕!∖



Manual gearbox

Stop the engine: Declutch, move the gear lever into neutral position and release the clutch pedal.

Start the engine: Depress the clutch pedal.

Automatic gearbox

Stop the engine: Stop the car with the foot brake and then maintain the brake pressure.

Start the engine: Release foot pressure on the foot brake. Illuminated button lamp indicates that the function is active.



How does the pedestrian protection work*?

The car has Collision Warning with Auto Brake and Cyclist and Pedestrian Detection, which can warn, brake and/or stop for vehicles, cyclists and pedestrians.

The function is only an aid and does not work in all situations – for example, it does not see cyclists from the side, pedestrians who are shorter than 80 cm or who are partially obscured.

It is important to understand this function thoroughly – see the owner's manual.



How do I adjust the seat?

03

02

- 1 Raise/lower the front of the seat cushion.
- 2 Raise/lower seat.
- 3 Move the seat forward/backward.
- 4 Tilt the backrest.
- 5 Store settings for power seat*.
- 6 Memory buttons for power seat*.

Store setting:

Hold the button depressed to store settings while depressing one of the memory buttons.





Seat settings for a power seat can also be stored in the remote control key* – see the owner's manual.



How do I adjust the steering wheel?

- 1 Release the catch.
- 2 Adjust the steering wheel forward/backward and up/ down.
- 3 Activate the catch.



03



How does the sunroof work*?

03

∕∖

Automatic maximum opening. Manual opening. Manual closing. Manual closing. Automatic maximum closing. Opening ventilation position. Closing ventilation position.



How do I open and close the power operated tailgate*? 03

Opening

 Press lightly on the rubberised pressure plate under the outside handle. Alternatively, a long press on the lighting panel button or the remote control button until the tailgate starts to open.

Closing

- Press the button and the tailgate closes automatically. The tailgate can also be opened/closed manually.



How do I regulate the temperature?

- Turn for individual temperature in the left/right-hand area of the passenger compartment. The screen shows the selected temperature.
- Press AUTO for automatic control of air distribution and other functions. The screen shows AUTO CLIMATE.



How do I defrost the windscreen?

04

Ti

04

- Press to activate the windscreen's electric heating* symbol (1) in the screen illuminates.
- 2 The next press also activates maximum airflow against windscreen and side windows - symbols (1) and (2) illuminate.
- 3 The next press switches off both of the functions no symbol illuminates.

Without electric heating: Press to activate/deactivate the air flow.





How does the headlamp control's auto mode work? 04

AUTO mode provides the following options:

- The daytime running lights automatically switch between daytime running lights and dipped beam.
- Main beam can be activated when dipped beam is switched on.
- Active high beam (AHB)* that dims and activates main beam automatically can be used.
- Tunnel detection* is activated.



How is the trip computer operated?

- **OK** opens the trip computer's menu, activates the selected option and extinguishes messages.
- 2 Thumbwheel scrolls between the trip computer options.
- **3 RESET** resets data in the selected trip computer step and goes back in the menu structure.



How do I reset the trip meter?

04

Ti

1 Turn the left-hand stalk switch thumbwheel to show trip meter T1 or T2.

2 Give a long press on the **RESET** button in order to reset the trip meter shown.





How do I change the combined instrument panel's appearance?

Different themes can be selected with the digital* combined instrument panel, such as Performance or Eco.

To change the theme:

- Press the left-hand stalk switch **OK** button after the engine has been started.
- 2 Turn the lever's thumbwheel in order to select menu option **Themes** and press **OK**.
- **3** Turn the thumbwheel to select a theme and press **OK** to confirm.

The theme is stored in the remote control key memory* – see the owner's manual.




How does the range/"km to empty tank" work? 04

The combined instrument panel shows an estimation of the possible driving distance based on previous driving conditions and remaining fuel quantity.

No guaranteed range remains when "---- km" is shown. Refuel as soon as possible. The illustration shows the digital* combined instrument panel.

Analogue combined instrument panel – see the owner's manual.



- Press RADIO, MEDIA, MY CAR, NAV* or TEL* to select main source.
- 2 Press **OK/MENU** or the thumbwheel* in the steering wheel to access the selected source's main menu.
- **3** Turn **TUNE** or the thumbwheel to navigate in the menus.
- 4 Press **OK/MENU** or the thumbwheel to make a selection in the menus.

Briefly press **EXIT** to go back in the menu system, cancel a function or delete entered characters.

Give a long press on **EXIT** to go back to normal view, or to go from normal view to the main source view.

Tips:

To go to the shortcut menu in the NAV or TEL mode, press once on **NAV** or **TEL**. Press again to go back to normal view.





MYCAR

CAM

...

WXY2

MEDIA

ALITC

RADIO

NAL

1

1

AC





How do I switch on and off the Infotainment 04 system?

- 1 A short press activates the system.
- 2 A long press (until the screen switches off) deactivates.

To switch off the sound (MUTE): Give a short press - the next press reactivates.

Note that the whole of the Sensus system (including navigation* and phone functions*) starts/switches off at the same time.



How do I connect a Bluetooth® phone? 04 Press TEL* in the centre console. 2 Make the external device searchable/visible via Bluetooth[®]. 3 Press **OK/MENU** and follow the instructions on the screen. The device is now connected and can be controlled from the car. In future the phone will be connected to the car automatically.

If the connection fails - see the owner's manual.



04



How do I make a call?

- 1 Press TEL* in the centre console.
- 2 Enter the required number or turn the thumbwheel on the steering wheel downward in order to access the phone book, and upward for the call register.



Press the thumbwheel to dial.

The call is interrupted with a press on EXIT.

For more ways to make a call with the phone - see the owner's manual.






How do I answer the phone*?


- Press the thumbwheel to accept incoming calls.

The call is rejected/interrupted with a press on EXIT.

For more ways to answer the phone – see the owner's manual.







How do I set a GPS* destination? 04 Press NAV to start the navigation system - a map is shown. Press once again on NAV and select Enter address with OK/MENU. Enter a search criterion/search criteria using the daisy wheel or the centre console's numeric keypad. Then select Set single destination or Add as waypoint and press OK/MENU.

For more information and market deviations regarding navigation - see the separate supplement*.

04


li



What settings can be made in the menu system?

MY CAR handles many of the car's functions, e.g. settings for clock, door mirrors and locks.

See the earlier heading "How do I navigate in the infotainment system?" for which buttons to use.







How do I refuel?

05

- Press the button on the lighting panel to open the fuel filler flap - the flap opens when the button is released.

The arrow on the symbol in the combined instrument panel shows which side of the car the fuel cap is located on.

Ti

How should I wash the car?

Handwashing is gentler on the paintwork than an automatic car wash. The paintwork is also more sensitive when it is new. For this reason, handwashing is recommended during the first few months with a new car.

Use clean water and a washing sponge. Remember that dirt ad grit can scratch the paintwork.

How should I clean the Leather requires regular ca ance. For this reason, the le treated using the Volvo Leather Ca year. The Volvo Leather Ca

How should I clean the leather upholstery*? 05

Leather requires regular care in order to maintain appearance. For this reason, the leather upholstery should be treated using the Volvo Leather Care kit 1-4 times per year. The Volvo Leather Care kit is available for purchase from a Volvo dealer.

How do I open all windows simultaneously? 05

Remote control key (see illustration)

 Give a long press on the remote control key's unlock button to open all side windows* simultaneously.

Central locking

 Give a long press on the central locking button on the driver's door to open all side windows* simultaneously.

















The owner's manual shows the location of more storage spaces.

Where are the AUX/USB* and 12 V sockets located?

The remote control key must be at least in key position I in order for the 12V sockets* in the passenger compartment to work. The 12V socket in the cargo area is always live.

05

Shown here are some of the car's storage spaces.



How does the Keyless key system* work?



Electromagnetic fields and screening can interfere with the Keyless function. Do not place/store the remote control key near a mobile phone or metal object.

How do I start the engine?



After a cold start the idling speed is high irrespective of outside temperature. It is part of Volvo's efficient emissions system. During cold starting, certain diesel engines have a delayed start due to preheating.

What does BLIS* do?



BLIS is a supplement - not a substitute for a safe driving style and the use of rearview and door mirrors. BLIS not work in sharp bends. BLIS does not work when the car is reversing.

How does the pedestrian protection work*?



The function cannot detect all pedestrians in all situations and does not see, for example, partially obscured pedestrians, people in clothing that hides their body contour or pedestrians shorter than 80 cm. The function cannot detect all cyclists in all situations and does not see, for example, partially obscured cyclists, cyclists with concealed body contours or cyclists approaching from the side. The driver is always responsible that the vehicle is driven in a correct manner and with a safety distance adapted to the speed.

How do I adjust the seat?

Adjust the driving position of the driver's seat correctly **before** setting off - never while driving. Make sure that the seat is in locked position in order to prevent personal injury in the event of sudden braking or an accident.

How do I adjust the steering wheel?



Adjust the steering wheel (after adjusting the seat) before setting off - never while driving.

How does the sunroof* work?



Children, other passengers or objects may be trapped by the sunroof's moving parts. Always operate the sunroof with caution. Take the remote control key with you when leaving the car.

How do I open and close the power operated tailgate?



Pay attention to the risk of crushing when opening/closing. Before opening/closing starts; check that no one is near the tailgate since a crushing injury can have serious consequences. Always operate the tailgate with caution. Do not use power tailgate operation under a low roof. If the system has worked continuously for a long time it is switched off to prevent overload. It can be used again after approx. 2 minutes.

How does the range/"km to empty tank" work?

	_	
1		
	-1	
	I	1

A degree of incorrect indication may occur if the driving style is changed.

How should I clean the leather upholstery*?



Some coloured clothing (e.g. jeans and suede garments) may discolour the upholstery. Never use strong solvents – they could damage the upholstery.

Where are the AUX/USB* and 12 V sockets located?

Maximum. current take-off is 10 A (120 W) in each socket.

Learn more about your particular car at www.volvocars.com.