



QUICK GUIDE

WELCOME TO YOUR NEW VOLVO!

This folder contains a selection of the most common functions in your car. The owner's manual and other manuals contain safety instructions and all warning, important and note texts.

The following symbols mean:

Different parts are pointed out in the overview images.

Step-by-step instructions.

It is particularly important to read the owner's manual.

Marning, important and note texts, which must be read, are included on the last page.

Options are marked with an asterisk *.

The owner's manual is available as a printed manual and digitally in the car's screen, on the Web and as a mobile app. The mobile app contains the whole owner's manual as well as instruction films and has several search paths with text and illustrations. The mobile app can be downloaded to mobile devices from App Store or Google play.

In addition, learn more about your car at www.volvocars.com.



01 Starting and driving

Remote control key

Keyless* lock system

Starting and switching off the engine

Parking brake

Wipers

Tyre pressure monitoring*

02 Driver support in your car

Start/Stop function*

Pedestrian protection*

04 Functions in your car

Climate system controls

Headlamp control

Combined instrument panel

Infotainment system

Phone*

Internet*

External audio device

Buttons in the centre console

Settings in the menu system

Workshop/booking service*

ECO*

03 Your driving environment

Adjusting the seat

Adjusting the steering wheel

Power operated tailgate*

05 Tips

Refuelling

Car care

Storage spaces

AUX/USB* and 12 V sockets



- Unlocks doors and tailgate and disarms the alarm. The function can be set in MY CAR.
- Locks doors and tailgate and arms the alarm.
- 3 Approach light duration.
- 4 One press unlocks the tailgate and one long press opens the power tailgate*.
- Information*.
- 6 Panic function.

The remote control key can store settings for, amongst other things, door mirrors and power driver's seat* - see owner's manual.






What do the remote control key indicator lamps* show?

01

- 1 Green constant light: The car is locked.
- Yellow constant light: The car is unlocked.
- 3 Red continuous light: the alarm has been triggered since the car was locked.
- 4 Red light flashing alternately in both indicator lamps: The alarm was triggered less than 5 minutes ago.





How does the Keyless* lock system work?

01

The remote control key can remain in a pocket, for example.

Lock and arm the alarm

Depress the button on the rear section of the handle.

Unlock and disarm the alarm

- Grip a door handle and open the door in the usual way or press lightly on the tailgate's rubberised pressure plate.







Starting

- 1 Push the remote control key into the ignition switch (does not apply to Keyless drive*).
- 2 Depress the clutch or brake pedal.
- 3 Briefly press the **START/STOP ENGINE** button.

Switching off

- 1 Briefly press the **START/STOP ENGINE** button.
- 2 Take the remote control key out from the ignition switch (does not apply to Keyless drive*).





How do I use the parking brake?

01

Activate

 Press the control PUSH LOCK/PULL RELEASE - the symbol starts to flash. Once there is a constant glow the parking brake is activated.

To disengage

- 1 Depress the brake pedal.
- 2 Pull the control PUSH LOCK/PULL RELEASE.

Disengage automatically

 Drive away (for cars with automatic gearbox, the seatbelt must be buckled).



How do I start the windscreen wipers and rain sensor*?

Move the lever downward to start the windscreen wipers and upward for a single sweep.

- Rain sensor On/Off.
- 2 Regulates the sensor sensitivity or the intermittent delay.
- Wiper, rear window intermittent/normal.

To lift up the wiper blades they must be in service position – see owner's manual.







How do I calibrate the tyre pressure monitoring system (TM)*?

Calibration is always required after changing tyres or changed tyre pressure. In the event of lamp illumination (1) the system needs to be calibrated. Proceed as follows:

- 1 With the ignition switched off, inflate all tyres in accordance with the tyre pressure label on the driver's side door pillar.
- 2 Start the car. In the normal view for the MY CAR source, press OK/MENU.
- Select Tyre pressure > Calibrate tyre pressure and press OK/MENU.
- 4 Recalibration is carried out while the car is being driven.







How do I use the Start/Stop function*?

02

Manual gearbox

Stop the engine: Declutch, move the gear lever into neutral position and release the clutch pedal.


Start the engine: Depress the clutch pedal.

Automatic gearbox

Stop the engine: Stop the car with the foot brake and then maintain the brake pressure.

Start the engine: Release foot pressure on the foot brake. Illuminated button lamp indicates that the function is active.





How does the pedestrian protection work*?

02

Collision Warning with Auto Brake and Cyclist and Pedestrian Detection, which can warn, brake and/or stop for vehicles, cyclists and pedestrians.

The function is only an aid and does not work in all situations – for example, it does not see cyclists from the side and pedestrians who are shorter than 80 cm or who are partially obscured.



It is important to understand this function – see owner's manual.









- Raise/lower the front of the seat cushion.
- Raise/lower the seat.
- Move the seat forward/backward.
- Tilt the backrest.
- 5 Lumbar support* adjustment.
- 6 Storing settings for power seat*.
- Memory buttons for power seat*.

Store setting:

Hold the button depressed to store settings while depressing one of the memory buttons. Hold the buttons depressed until a signal is heard and text is shown in the combined instrument panel. This stores the position of the seat as well as the door mirrors. The position of the lumbar support is not stored.









How do I adjust the steering wheel?

03

- Release the steering wheel lock.
- 2 Adjust the steering wheel forward/backward and up/
- Lock the steering wheel.





How do I open and close the power operated tailgate*?

Opening

 Press lightly on the rubberised pressure plate under the outside handle. Alternatively, a long press on the lighting panel button or the remote control button until the tailgate starts to open.

Closing

- Press the button and the tailgate closes automatically.

The tailgate can also be opened/closed manually.





How do I regulate the temperature?

04

- 1 Turn for individual temperature in the left/right-hand area of the passenger compartment. The screen shows the selected temperature.
- Press AUTO for automatic control of air distribution and other functions. The screen shows AUTO CLIMATE.

Tip: AUTO mode is recommended for optimum climate comfort. When fan speed and air distribution are regulated the **AUTO** mode will be deactivated.







How do I defrost the windscreen?

04

- 1 Press to activate the windscreen's electric heating* symbol (1) in the screen illuminates.
- 2 The next press also activates maximum airflow against windscreen and side windows symbols (1) and (2)
- 3 The next press switches off both of the functions no symbol illuminates.

Without electric heating: Press to activate/deactivate the air flow.







How does the headlamp control's auto mode work?

AUTO mode provides the following options:

- The daytime running lights automatically switch between daytime running lights and dipped beam.
- Main beam can be activated when dipped beam is switched on.
- Active high beam (AHB)* that dims and activates main beam automatically, or adapts the main beam pattern to the traffic conditions – can be used.
- · Tunnel detection* is activated.





How is the trip computer operated?

04

- OK opens the trip computer's menus, activates selected option and extinguishes messages.
- 2 Thumbwheel scrolls between the trip computer options.
- **3 RESET** resets data in the selected trip computer step and goes back in the menu structure.





How do I reset the trip meter?

04

- 1 Turn the left-hand stalk switch thumbwheel to show trip meter T1 or T2.
- **2** Give a long press on the **RESET** button in order to reset the trip meter shown.



How do I switch on and off the Infotainment system?

- 1 A short press activates the system.
- 2 A long press (until the screen switches off) deactivates.

To switch off the sound: Give a short press - the next press reactivates.

Note that the whole of the Sensus system (including navigation* and phone functions*) is started/switched off at the same time.





How do I navigate in the infotainment system? 04

- 1 Press RADIO, MEDIA, MY CAR, NAV*, TEL* or
 to select the main source. The normal view for the last active source is shown in this position.
- 2 Press **OK/MENU** or the thumbwheel* in the steering wheel to access the selected source's main menu.
- 3 Turn **TUNE** or the thumbwheel to navigate in the menus.
- 4 Press **OK/MENU** or the thumbwheel to make a selection in the menus.

Briefly press **EXIT** to go back in the menu system, cancel a function or delete entered characters.

Give a long press on **EXIT** to go back to normal view, or to go from normal view to the main source view.

Tips:

To go to the shortcut menu from normal view, press once on the main source button. Press again to go back to normal view.

For more information about operating the system - see owner's manual.



04

- 1 In the normal view for the phone source, press OK/MENU.
- 2 Select Make car discoverable and confirm with OK/MENU.
- 3 Activate Bluetooth® in the mobile phone. Search for and connect the car to the phone.
- 4 Follow the instructions in the mobile phone and the

The phone is now connected and can be controlled from the car.

If registering the phone does not succeed - see owner's manual.





Change phone

Search new phone

GT-19300 PhoneFred

Xperia arc

Make car discoverable Fredrik (Galaxy S4)

How do I connect to the Internet*?

04

- Connect the mobile phone via Bluetooth® or activate tethering in the phone for Wi-Fi connection. For car modem connection, fit the SIM card into the reader in the glovebox.
- 2 In the normal view for the MY CAR source press OK/MENU, select Settings > Internet settings > Connect through. Select a connection option.
- 3 Wi-Fi: connect to a network and enter its password. Car modem: enter the SIM card's PIN code.



For more information about connection - see owner's manual.





What services do I get with Volvo ID*?

04

Volvo ID is your personal ID registered to the car which can give you access to various services such as My Volvo Web and the ability to send an address from the map service on the Internet directly to the car.

Register or manage your Volvo ID as follows:

Press the Connect button .

2 Select Apps > Settings and follow the onscreen instructions

For more information about Volvo ID - see owner's manual.





How do I use apps when the car is connected to the Internet*?

When the car is connected to the Internet, apps for music services, web radio, navigation services and simple web browsers can be used.

- Press the Connect button .
- 2 Select Apps and press **OK/MENU** in order to show the available apps.
- 3 Select the app and confirm with **OK/MENU**.

Some apps require login using a separate account from the app/service supplier. Use existing account or register again. Follow the on-screen instructions.



How do I make a call*?

04

- In the normal view for the phone source, enter the required number or turn the thumbwheel on the steering wheel downward in order to access the phone book, and upward for the call register.
- 2 Press the thumbwheel to dial.

The call is interrupted with a press on **EXIT**.

For more ways to make a call with the phone – see owner's manual.





How do I answer the phone*?

04

- Press the thumbwheel to accept incoming calls.

The call is rejected/interrupted with a press on **EXIT**.

For more ways to answer the phone – see owner's manual.





- 1 Connect an external device via the AUX or USB* inputs in the centre console's storage compartment.
- 2 In the normal view for the media source, press **MEDIA** in the centre console.
- 3 Turn TUNE to the desired audio source and press OK/MENU.

For other connections of an external device – see owner's manual.





How do I set a GPS* destination?

04

- 1 Press **NAV** to start the navigation system* a map is shown.
- Press once again on NAV and select Set address with OK/MENU.
- 3 Enter a search criterion/search criteria using the character wheel or the centre console's numeric keypad.
- Then select Set single destination or Add as waypoint and press OK/MENU.

For more information and market deviations regarding navigation - see the separate supplement.



What settings can be made in the menu system?

04

Many of the car's functions are handled in **MY CAR**, e.g. settings for clock, door mirrors and locks.

See the earlier heading "How do I navigate in the infotainment system?" for which buttons to use.





How do I adjust the clock?

- 1 In the normal view for the MY CAR source, press OK/MENU.
- 2 Select Settings > System options > Time settings.
- 3 Turn **TUNE** to **Auto time** and press **OK/MENU** to activate automatic setting of the time.

Make sure you select the current location in order to set the correct time in the car.



How do I make a call to my workshop or book a service*?

 In the normal view for the MY CAR source, press OK/ MENU and select Service & repair.

Under Service & repair is information about your chosen workshop that you registered in the My Volvo Web portal. In Dealer information there is the option to call and send a booking request to the workshop (also available via My Volvo Web). There is also the option to update workshop information and set the workshop as destination.

Only applies to certain markets.



04

04



What does ECO* do?

One press on **ECO** activates an optimal fuel-efficient driving program including, amongst other things, the following changes:

- Start/Stop the engine may auto-stop before the car is stationary.
- · Eco Coast engine braking ceases and the car coasts.
- · Deactivation or reduction of certain climate functions.







 Press the button on the lighting panel to open the fuel filler flap - the flap is opened when the button is released.

The arrow on the symbol in the combined instrument panel shows which side of the car the fuel cap is located on.



How should I wash the car?

05

Handwashing is gentler on the paintwork than an automatic car wash. The paintwork is also more sensitive when it is new. For this reason, handwashing is recommended during the first few months with a new car.

Use clean water and a washing sponge. Remember that dirt ad grit can scratch the paintwork.



How should I clean the leather upholstery*?

05

Leather requires regular care in order to maintain appearance. For this reason, the leather upholstery should be treated using the Volvo Leather Care kit 1-4 times per year. The Volvo Leather Care kit is available for purchase from a Volvo dealer.



Shown here are some of the car's storage spaces.









The owner's manual shows the location of more storage spaces.



05



Where are the AUX/USB* and 12 V sockets located?

The remote control key must be at least in key position I in order for the 12V sockets in the passenger compartment to work. The 12V socket* in the cargo area is always live.



How does the Keyless* lock system work?



Electromagnetic fields and screening can interfere with the Keyless function. Do not place/store the remote control key near a mobile phone or metal objects.

How do I start and switch off the engine?



After a cold start the idling speed is high irrespective of outside temperature. It is part of Volvo's efficient emissions system. During cold starting, certain diesel engines have a delayed start due to preheating.

How does the pedestrian protection work*?



The function cannot detect all pedestrians in all situations and does not see, for example, partially obscured pedestrians, people in clothing that hides their body contour or pedestrians shorter than 80 cm. The function cannot detect all cyclists in all situations and does not see, for example, partially obscured cyclists, cyclists with concealed body contours or cyclists approaching from the side. The driver is always responsible that the vehicle is driven in a correct manner and with a safety distance adapted to the speed.

How do I adjust the seat?



Adjust the driving position of the driver's seat correctly **before** setting off – never while driving. Make sure that the seat is in locked position in order to avoid personal injury in the event of heavy braking or an accident.

How do I adjust the steering wheel?



Adjust the steering wheel (after adjusting the seat) before setting off - never while driving.

How do I open and close the power operated tailgate*?



Pay attention to the risk of crushing when opening/closing. Before opening/closing starts; check that no one is near the tailgate since a crushing injury can have serious consequences. Always operate the tailgate with caution. Do not use power tailgate operation under a low roof. If the system has worked continuously for a long time it is switched off to avoid overload. It can be used again after approx. 2 minutes.

How do I connect to the Internet*?



Using the Internet involves transferring data (data traffic), resulting in a charge to your network operator. Contact them about the cost for data traffic. Connect via car modem: to avoid having to enter the PIN code every time the car is started, the PIN code lock can be deactivated under the Car modem option by deselecting Lock SIM card.

How should I clean the leather upholstery*?



Some coloured clothing (e.g. jeans and suede garments) may discolour the upholstery. Never use strong solvents – they could damage the upholstery.

Where are the AUX/USB* and 12 V sockets located?



Max. current take-off is 10 A (120 W) if one 12 V socket is used at a time in the tunnel console. If both sockets in the tunnel console are used at the same time, then the figure is 7.5 A (90 W) per socket. Max. current take-off is 10 A (120 W) for the 12 V socket in the cargo area.